

SikaRapid[®]-500 HX

DECLARATION OF PERFORMANCE

No. 20295789

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	20295789
2	INTENDED USE/S	EN 934-2:2009+A1:2012 Admixtures for concrete to be used in concrete hardening accelerating
3	MANUFACTURER:	Sika Norge AS Sanitetsveien 1 NO-2013 SKJETTEN NORWAY
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 934-2:2009+A1:2012
	Notified body/ies:	1111

INTERNAL

Declaration of PerformanceSikaRapid[®]-500 HX

20295789

2022.04 , ver. 1

1130

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Chloride ion content	≤ 0.1 %	System 2+	
Alkali content - equivalent sodium oxide	≤ 5.0 %	System 2+	
Corrosion behavior	Contain the following substances from EN 934-1:2008 Annex A.2: Nitrates	System 2+	EN 934-2:2009+A1:2012
Compressive strength	Passed	System 2+	
Air content	Passed	System 2+	
Hardening time/strength development	Passed	System 2+	
Dangerous substances	NPD	System 2+	

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Trond Solbø
Function: Product Manager Concrete
At Skjetten on 03 November 2022

Name : Alex Kristensen
Function: General Manager
At Skjetten on 03 November 2022



End of information as required by Regulation (EU) No 305/2011

INTERNAL

Declaration of Performance

SikaRapid®-500 HX
20295789
2022.11 , ver. 0
1130





22

Sika Norge AS, Sanitetsveien 1, NO-2013 SKJETTEN, Norway

20295789

EN 934-2:2009+A1:2012

Notified Body 1111

Admixtures for concrete to be used in concrete hardening accelerating

Chloride ion content	≤ 0.1 %
Alkali content - equivalent sodium oxide	≤ 5.0 %
Corrosion behavior	Contain the following substances from EN 934-1:2008 Annex A.2: Nitrates
Compressive strength	Passed
Air content	Passed

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

INTERNAL

Declaration of Performance

SikaRapid®-500 HX

20295789

2022.11 , ver. 0

1130

3/4

BUILDING TRUST



Sika Services AG
Tüffenwies 16-22
8064 Zürich
Switzerland
www.sika.com

INTERNAL

Declaration of Performance
SikaRapid®-500 HX
20295789
2022.11 , ver. 0
1130

4/4

BUILDING TRUST

